

October 28, 2004

State of Utah
Division of Oil, Gas & Mining
Attn: Diana Whitney
1594 West North Temple - Suite 1210
P.O. Box 145801
Salt Lake City, Utah 84114-5801

RE: Applications for Permit to Drill: Federal 1-17-9-18, 2-17-9-18, 4-17-9-18, 6-17-9-18, 8-17-9-18, 10-17-9-18, 12-17-9-18, 14-17-9-18, and 16-17-9-18.

# Dear Diana:

Enclosed find APD's on the above referenced wells. If you have any questions, feel free to give either Brad or myself a call.

Sincerely,

Manche Curies Mandie Crozier

Regulatory Specialist

mc

enclosures

RECEIVED OCT 2 9 2004

DIV. OF OIL, GAS & MINING

Form 3160-3 (September 2001)				FORM APPROVED OMB No. 1004-0136 Expires January 31, 2004			
UNITED STATES	TEDIOD		Ì	5. Lease Serial No.			
DEPARTMENT OF THE IN BUREAU OF LAND MANAG				UTU-39714			
			ľ	6. If Indian, Allottee or Tribe Name			
APPLICATION FOR PERMIT TO DR	RILL OR F	REENIER		N/A			
la. Type of Work: DRILL REENTER	ŧ			7. If Unit or CA Agreement, I	Name and No.		
ib. Type of Well: Oil Well Gas Well Other	X s	Single Zone 🔲 Multip	ole Zone	8. Lease Name and Well No. Federal 16-17-9-18			
2. Name of Operator Newfield Production Company				9. API Well No.	-36035		
3a. Address	3b. Phone N	io. (include area code)		10. Field and Pool, or Explorat			
Route #3 Box 3630, Myton UT 84052	(435)6	46-3721		Eight Mile Flat			
4. Location of Well (Report location clearly and in accordance with a	anv State rea	uirements.*)		11. Sec., T., R., M., or Blk. and	l Survey or Area		
At surface SE/SE 660' FSL 660' FEL 593040	Ý 4	10.025488					
		109,909666	9	SE/SE Sec. 17, T9S	R18E		
14. Distance in miles and direction from nearest town or post office*				12. County or Parish	13. State		
Approximatley 19.9 miles southeast of Myton, Utah				Uintah	UT		
15. Distance from proposed* location to nearest property or lease line, ft.		Acres in lease	17. Spacin	g Unit dedicated to this well 40 Acres			
(Also to nearest drig. unit line, if any) Approx. 660' f/lse, NA f/unit		,717.32					
18. Distance from proposed location* to nearest well, drilling, completed,	19. Propos	sed Depth	20. BLM/I	BIA Bond No. on file			
applied for, on this lease, ft. Approx. 1299'		690'	<u> </u>	JTU0056			
21. Elevations (Show whether DF, KDB, RT, GL, etc.)		ximate date work will sta	rt*	23. Estimated duration			
5076' GL		Quarter 2005		Approximately seven (7) days from spud	o ng release.		
		achments					
The following, completed in accordance with the requirements of Onshor	re Oil and Ga	is Order No.1, shall be att	tached to this	s form:			
<ol> <li>Well plat certified by a registered surveyor.</li> <li>A Drilling Plan.</li> <li>A Surface Use Plan (if the location is on National Forest System SUPO shall be filed with the appropriate Forest Service Office).</li> </ol>	Lands, the	Item 20 above). 5. Operator certific	ation. specific infe	ns unless covered by an existing			
25. Signature	Nam	ne (Printed/Typed)		Date			
23. Signature	•	andie Crozier		10	1/28/c/		
Title Regulatory Specialist							
Approved by (Signature)	. Nan	ne (Printed/Typed)		Date			
The state of the s	BRADI	EY G. HILL		11-0	31-04		
		NTAL SCIENTIST	III				
Application approval does not warrant or certify the the applicant holds is operations thereon.	egal or equit	able title to those rights in	the subject	lease which would entitle the ap	plicant to conduct		
Conditions of approval, if any, are attached.							
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it States any false, fictitious or fraudulent statements or representations as t	t a crime for to any matter	any person knowingly ar within its jurisdiction.	nd willfully t	to make to any department or ag	gency of the United		


\*(Instructions on reverse)

Faderal Approval of this Action is Necessery

RECEIVED OCT 2 9 2004

# T9S, R18E, S.L.B.&M.

S89\*58'W - 79.98 (G.L.O.)



= SECTION CORNERS LOCATED

BASIS OF ELEV; U.S.G.S. 7-1/2 min QUAD (PARIETTE DRAW SW)

# NEWFIELD PRODUCTION COMPANY

WELL LOCATION, FEDERAL 16-17-9-18, LOCATED AS SHOWN IN THE SE 1/4 SE 1/4 OF SECTION 17, T9S, R18E, S.L.B.&M. UINTAH COUNTY, UTAH.



THIS IS TO CERTIFY THAT THE ABOVE PERT WAS PREPARED FROM FIELD NOTES OF ACTUM, SURVEYS MADE BY ME OR UNDER MY SUPPRESSION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND FELIEF No.189377

REGISTERED LAND SURVEYOR REGISTRA PON NO. STATE OF STATE

# TRI STATE LAND SURVEYING & CONSULTING

180 NORTH VERNAL AVE. - VERNAL, UTAH 84078 (435) 781-2501

` '	
SCALE: 1" = 1000'	SURVEYED BY: C.M.
DATE: 9-27-04	DRAWN BY: F.T.M.
NOTES:	FILE #

# NEWFIELD PRODUCTION COMPANY FEDERAL #16-17-9-18 SE/SE SECTION 17, T9S, R18E UINTAH COUNTY, UTAH

# ONSHORE ORDER NO. 1

# DRILLING PROGRAM

# 1. GEOLOGIC SURFACE FORMATION:

Uinta formation of Upper Eocene Age

# 2. ESTIMATED TOPS OF IMPORTANT GEOLOGIC MARKERS:

Uinta 0' – 1640' Green River 1910' Wasatch 5690'

# 3. ESTIMATED DEPTHS OF ANTICIPATED WATER, OIL, GAS OR MINERALS:

Green River Formation 1910' - 5690' - Oil

# 4. PROPOSED CASING PROGRAM

Please refer to the Monument Butte Field Standard Operation Procedure (SOP).

# 5. <u>MINIMUM SPECIFICATIONS FOR PRESSURE CONTROL:</u>

Please refer to the Monument Butte Field SOP. See Exhibit "C".

# 6. TYPE AND CHARACTERISTICS OF THE PROPOSED CIRCULATION MUDS:

Please refer to the Monument Butte Field SOP.

# 7. <u>AUXILIARY SAFETY EQUIPMENT TO BE USED:</u>

Please refer to the Monument Butte Field SOP.

# 8. <u>TESTING, LOGGING AND CORING PROGRAMS:</u>

Please refer to the Monument Butte Field SOP.

#### 9. ANTICIPATED ABNORMAL PRESSURE OR TEMPERATURE:

The anticipated maximum bottom hole pressure is 1800 psi. It is not anticipated that abnormal temperatures will be encountered.

# 10. ANTICIPATED STARTING DATE AND DURATION OF THE OPERATIONS:

Please refer to the Monument Butte Field SOP.

# NEWFIELD PRODUCTION COMPANY FEDERAL #16-17-9-18 SE/SE SECTION 17, T9S, R18E UINTAH COUNTY, UTAH

# ONSHORE ORDER NO. 1

# MULTI-POINT SURFACE USE & OPERATIONS PLAN

# 1. EXISTING ROADS

See attached Topographic Map "A"

To reach Newfield Production Company well location site Federal #16-17-9-18 located in the SE 1/4 SE 1/4 Section 17, T9S, R18E, Uintah County, Utah:

Proceed southwesterly out of Myton, Utah along Highway 40 - 1.6 miles  $\pm$  to the junction of this highway and UT State Hwy 53; proceed southeasterly along Hwy 53 - 11.7 miles  $\pm$  to it's junction with an existing road to the southeast; proceed southeasterly - 3.6 miles  $\pm$  to it's junction with an existing road to the east; proceed northeasterly - 1.8 miles  $\pm$  to it's junction an existing road to the southeast; proceed southeasterly - 1.2 miles  $\pm$  to it's junction with the beginning of the proposed access road to the northeast; proceed northeasterly along the proposed access road 1,250'  $\pm$  to the proposed well location.

# 2. PLANNED ACCESS ROAD

See Topographic Map "B" for the location of the proposed access road.

# 3. LOCATION OF EXISTING WELLS

Refer to Exhibit "B".

#### 4. LOCATION OF EXISTING AND/OR PROPOSED FACILITIES

Please refer to the Monument Butte Field Standard Operating Procedure (SOP).

# 5. <u>LOCATION AND TYPE OF WATER SUPPLY</u>

Please refer to the Monument Butte Field SOP. See Exhibit "A".

# 6. SOURCE OF CONSTRUCTION MATERIALS

Please refer to the Monument Butte Field SOP.

#### 7. METHODS FOR HANDLING WASTE DISPOSAL

Please refer to the Monument Butte Field SOP.

# 8. <u>ANCILLARY FACILITIES</u>

Please refer to the Monument Butte Field SOP.

#### 9. WELL SITE LAYOUT

See attached Location Layout Diagram.

### 10. PLANS FOR RESTORATION OF SURFACE

Please refer to the Monument Butte Field SOP.

#### 11. SURFACE OWNERSHIP - Bureau Of Land Management

# 12. OTHER ADDITIONAL INFORMATION

The Archaeological Resource Survey and Paleontological Resource Survey for this area are attached. MOAC Report #03-155, 2/23/04. Paleontological Resource Survey prepared by, Wade E. Miller, 10/6/03. See attached report cover pages, Exhibit "D".

For the Federal #16-17-9-18 Newfield Production Company requests 1,250' of disturbed area be granted in Lease UTU-39714 to allow for construction of the proposed access road. Refer to Topographic Map "B". The proposed access road will be an 18' crown road (9' either side of the centerline) with drainage ditches along either side of the proposed road whether it is deemed necessary in order to handle any run-off from normal meteorological conditions that are prevalent to this area. The maximum grade will be less than 8%. There will be no culverts required along this access road. There will be barrow ditches and turnouts as needed along this road. There are no fences encountered along this proposed road. There will be no new gates or cattle guards required. All construction material for this access road will be borrowed material accumulated during construction of the access road.

Newfield Production Company requests 1,250' of disturbed area be granted in Lease UTU-39714 to allow for construction of the proposed gas lines. It is proposed that the disturbed area will be 50' wide to allow for construction of a 6" gas gathering line, and a 3" poly fuel gas line. Both lines will tie in to the existing pipeline infrastructure. **Refer to Topographic Map "C."** For a ROW plan of development, please refer to the Monument Butte Field SOP.

# Water Disposal

Immediately upon first production, all produced water will be confined to a steel storage tank. If the production water meets quality guidelines, it is transported to the Ashley, Monument Butte, Jonah, and Beluga water injection facilities by company or contract trucks. Subsequently, the produced water is injected into approved Class II wells to enhance Newfield's secondary recovery project.

Water not meeting quality criteria, is disposed at Newfield's Pariette #4 disposal well (Sec. 7, T9S R19E) or at State of Utah approved surface disposal facilities.

#### Threatened, Endangered, And Other Sensitive Species

Mountain Plover: If new construction or surface disturbing activities are scheduled to occur between May 1 and June 15, detailed surveys of the area within 0.5 mile of the proposed location and within 300 feet of proposed access routes must be conducted to detect the presence of mountain plovers. All surveys must be conducted in accordance with the survey protocols outlined in the most recent USFWS Survey Protocol. Surveys must be completed prior to initiating new construction or surface disturbing activities. No new construction or surface disturbing activities will be allowed between March 15 and August 15 within a 0.5 mile radius of any documented mountain plover nest site.

**Burrowing Owl**: Due to the proximity of the location to active prairie dog towns, there is the potential to encounter nesting burrowing owls between April 1 and August 15. If new construction

or surface disturbing activities are scheduled between April 1 and August 15, pre-construction surveys will be conducted to detect the presence of nesting burrowing owls within 0.5 mile of any new construction or surface disturbing activity (see Vernal BLM Field Office Protocol). No new construction or surface disturbing activities will be allowed between April 1 and August 15 within a 0.5 mile radius of any active burrowing owl nest.

### Reserve Pit Liner

Please refer to the Monument Butte Field SOP.

#### **Location and Reserve Pit Reclamation**

Please refer to the Monument Butte Field SOP.

The following seed mixture will be used on the topsoil stockpile, to the recontoured surface of the reserve pit, and for final reclamation: (All poundages are in pure live seed)

Shadscale

Atriplex confertifolia

4 lbs/acre

Scarlet globmallow

Sphaeralcea conccinea

4 lbs/acre

Crested Wheatgrass

4 lbs/acre

# **Details of the On-Site Inspection**

The proposed Federal #16-17-9-18 was on-sited on 6/18/04. The following were present; Brad Mecham (Newfield Production) and Byron Tolman (Bureau of Land Management). Weather conditions were clear at 70 degrees.

# 13. LESSEE'S OR OPERATORS REPRESENTATIVE AND CERTIFICATION

#### <u>Representative</u>

Name:

Brad Mecham

Address:

Route #3 Box 3630

Myton, UT 84052

Telephone:

(435) 646-3721

#### **Certification**

Please be advised that NEWFIELD PRODUCTION COMPANY is considered to be the operator of well #16-17-9-18 SE/SE Section 17, Township 9S, Range 18E: Lease UTU-39714 Uintah County, Utah: and is responsible under the terms and conditions of the lease for the operations conducted upon the leased lands. Bond coverage is provided by Hartford Accident #4488944.


I hereby certify that the proposed drillsite and access route have been inspected, and I am familiar with the conditions which currently exist; that the statements made in this plan are true and correct to the best of my knowledge; and that the work associated with the operations proposed here will be performed by Newfield Production Company and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

Date

Mandie Crozier

Regulatory Specialist


Newfield Production Company




# NEWFIELD PRODUCTION COMPANY


# CROSS SECTIONS

# FEDERAL 16-17-9-18









STA. 0+00

# ESTIMATED EARTHWORK QUANTITIES (No Shrink or swell adjustments have been used) (Expressed in Cubic Yards)

ITEM	CUT	FILL	6" TOPSOIL	EXCESS
PAD	880	880	Topsoil is not included	0
PIT	640	0	in Pad Cut	640
TOTALS	1,520	880	890	640


NOTE: UNLESS OTHERWISE NOTED ALL CUT/FILL SLOPES ARE AT 1.5:1

SURVEYED BY:	C.M.	SCALE:	1" = 50'
DRAWN BY:	F. T.M.	DATE:	9-27-04

Tri State


Land Surveying, Inc.


180 NORTH VERNAL AVE. VERNAL, UTAH 84078 (435) 781-2501




(435) 781-2501


SURVEYED BY:	C.M.	SCALE:	1" = 50'	/Tri State	(435) 781-23
DRAWN BY:	F. T.M.	DATE:	9-27-04	/ Land Surveying, In 180 north vernal ave. Verna	<i>nc.</i> L, UTAH 84078








16	15	14	13	18	17	318	15	1 104		13		18	15		15	a Lo	Wells cation rface Spud
21	22	T46-R3\		11-13	) 20		4S-R2W			534 M <sup>534</sup> 1 1554 1534	0 20		4S-R1W	11/2	23 24 2	16 • Dr	illing on Completion oducing Oil Well oducing Gas Well ater injection Well y Hols
24	27	26	26	30	29	28 21 21	22 Plankaya	14 5h 5h 15h 15h 1 1 15h 5h 1 1 20 5h 1 1 20 5h 1	Su 24 Ionumets Butte NE	18 Wester 04	625 (25 025 20 10.20 625	la de la de .	ร้อง หรือ (อง หรือ ร้อง เมื่อง หรือ เรื่อ หรือ เรื่อ เรื่อ	in the same of the	for Can took and	19 9 TE + PI × SI >= W × W	emporarily Abandon uggad & Abandona aut in ater Source Well eter Disposal Well ection stations
33	34	28	25	4-00	29	T8S-	27 627 27 10-27 627 2	120	in ha in the	5-30 0-30 30 f-30 0-30 12-30 11-30 10-30 6-30	shaha sh	130 fra 250 130 fra 132 fra 130 120 fra 100 fra	427 22 121 221 221 221 221 221 221 221 22	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	11-23 25-20 21-20 1.23 15-25 25-25-25 1.25 15-25 25-25-25 1.25 15-25-25-25-25 18-25	unitou 18S-F	R18E
4		2 35R	91.70 91.70	West Point	612 1512 1512 612 1513 1512 1512 1512 1512 1512 1512 1512	102 102 103 103 103 103 103 103 103 103 103 103	Se 64 254 64	A 30 2A 30 2A 30 1A 30	30 Lon 230 Las	en et ete	132 21 32 1 4 32 132 6 32 32 7 32 6 32 13 32 1 4 32 6 32	1 2 1 (n	154 154 154 154 154 154 155 154 154	4.53 530 533 1533	430 530 530 130 631 3 430 630 630 630 631 11-30 830 630 830 830 11	51 151 452 152 1 21 251 252 25 31 1	€52 €32 530
т	S-RB	√√ 2	4446	A Go should	110 2100 31-00 41-00	1140 <sub>2</sub> 140 2140 14	A 20 To	in the	a si mia	the see see we	10 10 10 10 10 10 10 10 10 10 10 10 10 1	in in in the		To state to		5 5	ilay
16	15 135 890 10 0-10		1 2 3 2 3 2 6 2 3 3 6 2 3 6 2 5 6 2	4 / 4 .	. A ste if	tis der	10 20 11 12 Co 20 15	200 200 200 En	Andrea de la Companya	10 10 10 10 10 10 10 10 10 10 10 10 10 1	21-9H ( 11-9H 12-9	15-14 25-14 35-14 14-14 ( 15-14	10-10	11	12		£ .
	13 15 15 15 15 15 15 15 15 15 15 15 15 15	274 174 147-14	13-12 HAT 63-12 3-13	an-flay	do do Garan	* <b>6</b> 1	to the sin the	926.00 2 about 584 584 584 584	1 31-13V 10	with the	un son un de	15-18 16-2 25 16-2 16-2 16-2 16-2 16-2 16-2 16-2 16-2	6-13 6-13	14 32-14 44-34	13 max	La FOS	R18E
	22	19S-R15	24	19	2 31500 2520 <sub>20</sub>	21	16.22 23	ა ა ა ა ა ა ა ა ა ა ა ა ა ა ა ა ა ა ა	ซึม <sub>ม</sub>	10 Sis	26-1 250 20	21	. հ. մ. մ. -R17E	21-21 23 2-21	24	31-89 11-807 22-897 22-897 25-807	Lav
	27	Ž 26	25	30	29	28	27	28748	21-35Y 25	30	29	28.	27	26	25	20 2	15 1 20
	34	35	31	31	22	33	34	36	34	31	12	33	34	35	41-353 (11-31 35	Uint	Amand Amboones No Exhibit A Ah Besin, Utah
_	T	100 R15	-,	8		T103-R	10E	2	1		6	710S-R	17E	2		Alama Plant Daming 1861 17th Street Sales Incom- Denier Colonial School 2241 Phone Colonial School	



# 2-M SYSTEM

**Blowout Prevention Equipment Systems** 



**EXHIBIT C** 

● Exhibit "D"

Page 1-44

# CULTURAL RESOURCE INVENTORY OF INLAND RESOURCES BLOCK SURVEY ON EIGHTMILE FLAT TOWNSHIP 9 SOUTH, RANGE 18 EAST, SECTIONS 17, 20, 21 IN UINTAH COUNTY, UTAH

by

Amanda Wilson and Keith R. Montgomery

Prepared For:

Bureau of Land Management Vernal Field Office

Prepared Under Contract With:

Inland Production Route 3 Box 3630 Myton, Utah 84052

Prepared By:


Montgomery Archaeological Consultants P.O. Box 147 Moab, Utah 84532

MOAC Report No. 03-155

February 23, 2004

United States Department of Interior (FLPMA)
Permit No. 03-UT-60122

State of Utah Antiquities Project (Survey) Permit No. U-04-MQ-800b



page 3 of 4

# INLAND RESOURCES, INC.

# PALEONTOLOGICAL FIELD SURVEY OF PROPOSED PRODUCTION DEVELOPMENT AREAS, UINTAH COUNTY, UTAH

(Sections 9, 14, 15, 17, 21, 23 and north half section 20, Township 9 South, Range 18 East)


# REPORT OF SURVEY

Prepared for:

Inland Resources, Inc.


Prepared by:

Wade E. Miller Consulting Paleontologist October 6, 2003



# WORKSHEET APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 10/29/2004	API NO. ASSIGNED: 43-047-36035
WELL NAME: FEDERAL 16-17-9-18  OPERATOR: NEWFIELD PRODUCTION ( N2695 )  CONTACT: MANDIE CROZIER	PHONE NUMBER: 435-646-3721
PROPOSED LOCATION: SESE 17 090S 180E	INSPECT LOCATN BY: / /
SURFACE: 0660 FSL 0660 FEL BOTTOM: 0660 FSL 0660 FEL	Tech Review Initials Date
UINTAH  8 MILE FLAT NORTH ( 590 )	Engineering
LEASE TYPE: 1 - Federal	Geology Surface
LEASE NUMBER: UTU-39714  SURFACE OWNER: 1 - Federal	
PROPOSED FORMATION: GRRV COALBED METHANE WELL? NO	LATITUDE: 40.02549  LONGITUDE: -109.9097
RECEIVED AND/OR REVIEWED:  Plat Bond: Fed[1] Ind[] Sta[] Fee[] (No. UTU0056 )  Potash (Y/N)  Oil Shale 190-5 (B) or 190-3 or 190-13  Water Permit (No. MUNICIPAL )  RDCC Review (Y/N) (Date: )  AIR Fee Surf Agreement (Y/N)	LOCATION AND SITING:  R649-2-3.  Unit  R649-3-2. General     Siting: 460 From Qtr/Qtr & 920' Between Wells  R649-3-3. Exception  Drilling Unit     Board Cause No:     Eff Date:     Siting:  R649-3-11. Directional Drill
	to file
STIPULATIONS: 1- federal 2- Space	Seprano





State of Utah

Department of Natural Resources

ROBERT L. MORGAN Executive Director

Division of Oil, Gas & Mining

LOWELL P. BRAXTON Division Director OLENE S. WALKER Governor

GAYLE F. McKEACHNIE

Lieutenant Governor

November 1, 2004

Newfield Production Company Rt. #3, Box 3630 Myton, UT 84052

Re:

Federal 16-17-9-18 Well, 660' FSL, 660' FEL, SE SE, Sec. 17, T. 9 South,

R. 18 East, Uintah County, Utah

#### Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann.§ 40-6-1 et seq., Utah Administrative Code R649-3-1 et seq., and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-36035.

<del>-Sin</del>cerely,

John R. Baza Associate Director

pab Enclosures

cc: Uintah County Assessor

Bureau of Land Management, Vernal District Office

Operator:	Newfield Product	ion Company	
Well Name & Number	Federal 16-17-9-1	8	
API Number:	43-047-36035 UTU-39714		
Location: SE SE	Sec. 17	T. 9 South	<b>R.</b> 18 East

# **Conditions of Approval**

# 1. General

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

# 2. Notification Requirements

Notify the Division within 24 hours of spudding the well.

• Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

• Contact Dan Jarvis at (801) 538-5338

# 3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

- 4. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.
- 5. This proposed well is located in an area for which drilling units (well spacing patterns) have not been established through an order of the Board of Oil, Gas and Mining (the "Board"). In order to avoid the possibility of waste or injury to correlative rights, the operator is requested, once the well has been drilled, completed, and has produced, to analyze geological and engineering data generated therefrom, as well as any similar data from surrounding areas if available. As soon as is practicable after completion of its analysis, and if the analysis suggests an area larger than the quarter-quarter section upon which the well is located is being drained, the operator is requested to seek an appropriate order from the Board establishing drilling and spacing units in conformance with such analysis by filing a Request for Agency Action with the Board.

FORM 3100-5 (June 1990)

# ENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

**SUNDRY NOTICES AND REPORTS ON WELLS** 

Do not use this form for proposals to drill or to deepen or reentry a different reservoir.

	FORM APPROVED
	Budget Bureau No. 1004-0135
	Expires: March 31, 1993
	5. Lease Designation and Serial No.
	UTU-39714
	6. If Indian, Allottee or Tribe Name
	NA
	7. If Unit or CA, Agreement Designation
	SUNDANCE
	8. Well Name and No.
	FEDERAL 16-17-9-18
	9 API Well No.
	43-047-36035
	10. Field and Pool, or Exploratory Area
	EIGHT MILE FLAT NORTE
	11. County or Parish, State
	UINTAH COUNTY, UT.
RT, O	R OTHER DATA
- AC	TION
	Change of Plans New Construction

Use "APPLICATION FO	NA	
SUBMIT IN	7. If Unit or CA, Agreement Designation SUNDANCE	
1. Type of Well  X Oil Gas Well Well Other	8. Well Name and No.  FEDERAL 16-17-9-18  9. API Well No.  42. 0.47. 2.6025	
2. Name of Operator  NEWFIELD PRODUCTION COMPANY  3. Address and Telephone No.  Rt. 3 Box 3630, Myton Utah, 84052 435-64	l6-3721	43-047-36035  10. Field and Pool, or Exploratory Area  EIGHT MILE FLAT NORTH  11. County or Parish, State
4. Location of Well (Footage, Sec., T., R., m., or Survey Description)  660 FSL 660 FEL SE/SE Section		UINTAH COUNTY, UT.
12. CHECK APPROPRIATE BOX(s) TYPE OF SUBMISSION	TO INDICATE NATURE OF NOTICE, REPO	RT, OR OTHER DATA F ACTION
X Notice of Intent Subsequent Report Final Abandonment Notice	Abandonment Recompletion Plugging Back Casing Repair Altering Casing X Other Permit Extension	Change of Plans New Construction Non-Routine Fracturing Water Shut-Off Conversion to Injection Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)
Describe Proposed or Completed Operations (Clearly state all pertinent details, an	d give pertinent dates, including estimated date of starting any proposed wo	*

ally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Newfield Production Company requsts to extend the Permit to Drill this well for one year. The original approval date was 11/1/04 (expiration 11/1/05).

This APD has not been approved yet by the BLM.

Approved by the Utah Division of Oil. Gas and Minin

14. I hereby certify that the 10/27/2005 Regulatory Specialist Date Signed Mandie Crozier CC: UTAH DOGM (This space for Federal or State office use) Title Approved by Conditions of approval, if any: RECEIVED CC: Utah DOGM

the United States any false, fictitious Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any or fradulent statements or representations as to any matter within its jurisdiction.

HESET

# Application for Permit to Drill Request for Permit Extension Validation

(this form should accompany the Sundry Notice requesting permit extension)

API: 43-047-36035  Well Name: Federal 16-17-9-18  Location: SE/SE Section 17, T9S R18E  Company Permit Issued to: Newfield Production Company  Date Original Permit Issued: 11/1/2004
The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision.
Following is a checklist of some items related to the application, which should be verified.
If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes□No□ ∩♠
Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes ☐ No ☑
Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes□ No ☑
Have there been any changes to the access route including ownership, or right-of-way, which could affect the proposed location? Yes□No ☑
Has the approved source of water for drilling changed? Yes□No☑
Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes□No☑
Is bonding still in place, which covers this proposed well? Yes ☑ No ☐
Wands Crozeis 10/28/2005
Signature Date
Title: Regulatory Specialist
Representing: Newfield Production Company

RECEIVED OCT 3 1 2005

# RECEIVED

NOV 0 1 2004

Form 3160-3 (September 2001)

# BLM VERNAL, UTAH

FORM APPROVED OMB No. 1004-0136 Expires January 31, 2004

UNITED STATES

DEPARTMENT OF THE IN	HERIOR				
BUREAU OF LAND MANAC			UTU-39714		
APPLICATION FOR PERMIT TO DE			6. If Indian, Allottee or T	ribe Name	
ia. Type of Work: DRILL REENTER	3.	<del></del>	7. If Unit or CA Agreemen	nt, Name and No.	
1b. Type of Well:  Oil Well  Gas Well  Other	Single Zone 🔲 Multip	ole Zone	8. Lease Name and Well N Federal 16-17-9-1		
Name of Operator  Newfield Production Company		-	9. API Well No. 43-047-3	36035	
3a. Address	3b. Phone No. (include area code)		10. Field and Pool, or Explo		
Route #3 Box 3630, Myton UT 84052	(435) 646-3721		Eight Mile Flat		
4. Location of Well (Report location clearly and in accordance with	any State requirements.*)		11. Sec., T., R., M., or Blk.	and Survey or Area	
At surface SE/SE 660' FSL 660' FEL			SE/SE Sec. 17, T	9S R18E	
At proposed prod. zone				112 81	
14. Distance in miles and direction from nearest town or post office*		·	12. County or Parish	13. State	
Approximatley 19.9 miles southeast of Myton, Utah			Uintah	\ UT	
15. Distance from proposed* location to nearest	16. No. of Acres in lease	17. Spacin	g Unit dedicated to this well		
property or lease line, ft. (Also to nearest drig. unit line, if any) Approx. 660' f/lse, NA f/unit	1,717.32	)	40 Acres		
8. Distance from proposed location* to nearest well, drilling, completed,	19. Proposed Depth		BIA Bond No. on file		
applied for, on this lease, ft. Approx. 1299'	5690'	i	JTU0056		
21. Elevations (Show whether DF, KDB, RT, GL, etc.)	22. Approximate date work will sta	rt*	23. Estimated duration		
5076' GL	1st Quarter 2005	<del> </del>	Approximately seven (7) days from s	pud to rig release.	
	24. Attachments				
The following, completed in accordance with the requirements of Onsho	re Oil and Gas Order No.1, shall be at	tached to thi	s form:	-	
1. Well plat certified by a registered surveyor.	4. Bond to cover the Item 20 above).	he operatio	ns unless covered by an exis	ting bond on file (see	
2. A Drilling Plan.	5 Operator certific	ation.			
<ol> <li>A Surface Use Plan (if the location is on National Forest System SUPO shall be filed with the appropriate Forest Service Office).</li> </ol>		specific inf	ormation and/or plans as ma	ay be required by the	
25. Signature	Name (Printed/Typed) Mandie Crozier		Dat	0/28/0	
Title Regulatory Specialist			1		
poloved by (Signature)	Name (Printed/Typed)		Da	1/05/20	
Title Mineral Resources	Office		/		
Application approval does not warrant or certify the the applicant holds in operations thereon.  Conditions of approval, if any, are attached.	legal or equitable title to those rights in	the subject	lease which would entitle the	applicant to conduct	
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make in States any false, fictitious or fraudulent statements or representations as	t a crime for any person knowingly as to any matter within its jurisdiction.	nd willfully	to make to any department o	r agency of the Unite	

\*(Instructions on reverse)

Accepted by the Utah Division of Oil, Gas and Mining RECEIVED JAN 1 8 2006

FOR RECORD ONLY

DIV. OF OIL, GAS & MINING

CONDITIONS OF APPROVAL ATTACHED

NO NOS

05 SM0166A



# UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT VERNAL FIELD OFFICE

170 South 500 East

**VERNAL, UT 84078** 

(435) 781-4400



# CONDITIONS OF APPROVAL FOR APPLICATION FOR PERMIT TO DRILL

Company: NEWFIELD PRODUCTION CO Location: SESE, Sec.17, T9S, R18E

Well No: Federal 16-17-9-18 Lease No: UTU-39714

API No: 43-047-36035 Agreement: N/A

Cell: 435-828-4470 Matt Baker Office: 435-781-4490 Petroleum Engineer: Office: 435-781-4432 Cell: 435-828-7875 Petroleum Engineer: Michael Lee Cell: 435-828-3913 Supervisory Petroleum Technician: Jamie Sparger Office: 435-781-4502 Environmental Scientist: Paul Buhler Office: 435-781-4475 Cell: 435-828-4029 Office: 435-781-4484 **Environmental Scientist:** Karl Wright Office: 435-781-4404 Holly Villa Natural Resource Specialist: Natural Resource Specialist: Melissa Hawk Office: 435-781-4476 Office Fax: (435) 781-4410 After hours message number: (435) 781-4513

# A COPY OF THESE CONDITIONS SHALL BE FURNISHED TO YOUR FIELD REPRESENTATIVE TO INSURE COMPLIANCE

All lease and/or unit operations are to be conducted in such a manner that full compliance is made with the applicable laws, regulations (43 CFR Part 3160), and this approved Application for Permit to Drill including Surface and Downhole Conditions of Approval. The operator is considered fully responsible for the actions of his subcontractors. A copy of the approved APD must be on location during construction, drilling, and completion operations.

# **NOTIFICATION REQUIREMENTS**

Location Construction - Forty-Eight (48) hours prior to construction of location and access roads.

Location Completion - Prior to moving on the drilling rig. (Notify Melissa Hawk ES / NRS)

Spud Notice - Twenty-Four (24) hours prior to spudding the well. (Notify PE)

Casing String & Cementing
(Notify Jamie Sparger SPT)

Twenty-Four (24) hours prior to running casing and cementing all casing strings.

BOP & Related Equipment Tests - Twenty-Four (24) hours prior to initiating pressure tests. (Notify Jamie Sparger SPT)

First Production Notice
(Notify PE)

Within Five (5) business days after new well begins or production resumes after well has been off production for more than ninety (90) days.

COAs: Page 2 of 6 Well: Federal 16-17-9-18

# SURFACE USE PROGRAM CONDITIONS OF APPROVAL (COAs)

-This well is being approved in accordance with Washington Instruction Memorandum 2005-247 and Section 390 (Category 3) of the Energy Policy Act which establishes statutory categorical exclusions (CX) under the National Environmental Policy Act (NEPA). Category 3 states that an oil or gas well can be drilled within a developed field for which an approved land use plan or any environmental document prepared pursuant to NEPA analyzed drilling as a reasonably foreseeable activity, so long as such plan or document was approved within five (5) years prior to the date of spudding the well. This well is covered under the Final Environmental Impact Statement and Record of Decision Castle Peak and Eightmile Flat Oil and Gas Exploration Project Newfield Rocky Mountains Inc., signed November 21, 2005. If the well has not been spudded by November 21, 2010, a new environmental document will have to be prepared prior to the approval of the APD.

-4 to 6 inches of topsoil shall be stripped from the location and placed where it can most easily be accessed for interim reclamation instead of as shown in the APD.

-Within 90 calendar days of the approval date for this Application for Permit to Drill (APD), the operator/lessee shall submit to the Authorized Officer (AO), on Sundry Notice Form 3160-5, an Interim Surface Reclamation Plan for surface disturbance on well Pads, access roads, and pipelines. At a minimum, this will include the reshaping of the pad to the original contour to the extent possible; the respreading of the topsoil up to the rig anchor points; and the area reseeded using appropriate reclamation methods. The AO will provide written approval or concurrence within 30 calendar days of receipt.

-The pipeline(s) shall be buried within the identified construction width of an access corridor that contains the access road and pipelines. The operator may request in writing an exception to this COA. Exceptions to this COA may include but are not limited to: laterally extensive, hard indurated bedrock, such as sandstone, which is at or within 2 feet of the surface; and soil types with a poor history for successful rehabilitation. The exception request will be reviewed by the AO and a determination made.

- Following well plugging and abandonment, the location, access roads, pipelines, and other facilities shall be reclaimed. All disturbed surfaces shall be reshaped to approximate the original contour; the top soil respread over the surface; and the surface revegetated. The surface of approved staging areas where construction activities did not occur may require disking or ripping and reseeding.
- -Prior to abandonment of a buried pipeline, the operator will obtain authorization from the appropriate regulatory agency. BLM will determine whether the pipeline and all above ground pipeline facilities shall be removed and unsalvageable materials disposed of at approved sites or abandoned in place. Reshaping and revegetation of disturbed land areas will be completed where necessary. The seed mix identified in the APD shall be used. Other reclamation methods including but not limited to mulching or soil treatments may be require on a site-specific basis.

COAs: Page 3 of 6 Well: Federal 16-17-9-18

# **DOWNHOLE CONDITIONS OF APPROVAL**

All provisions outlined in Onshore Oil & Gas Order #2 Drilling Operations shall be strictly adhered to. The following items are emphasized:

# SITE SPECIFIC DOWNHOLE CONDITIONS OF APPROVAL

1. Casing cementing operations for production casing shall return cement to surface.

# DRILLING/COMPLETION/PRODUCING OPERATING STANDARDS

- 1. There shall be no deviation from the proposed drilling, completion, and/or workover program as approved. Safe drilling and operating practices must be observed. All wells, whether drilling, producing, suspended, or abandoned, shall be identified in accordance with 43 CFR 3162.6. There shall be a sign or marker with the name of the operator, lease serial number, well number, and surveyed description of the well. Any changes in operation must have prior approval from the BLM, Vernal Field Office Petroleum Engineers.
- 2. The spud date and time shall be reported orally to Vernal Field Office within 24 hours of spudding.
- 3. Notify Vernal Field Office Supervisory Petroleum Engineering Technician at least 24 hours in advance of casing cementing operations and BOPE & casing pressure tests.
- 4. Blowout prevention equipment (BOPE) will remain in use until the well is completed or abandoned. Closing unit controls must remain unobstructed and readily accessible at all times. Choke manifolds must be located outside of the rig substructure.

All BOPE components will be inspected daily and those inspections shall be recorded in the daily drilling report. Components shall be operated and tested as required by Onshore Oil & Gas Order No. 2 to insure good mechanical working order. All BOPE pressure tests must be performed by a test pump with a chart recorder and **NOT** by the rig pumps. Test must be reported in the driller's log.

BOP drills must be initially conducted by each drilling crew within 24 hours of drilling out from under the surface casing and weekly thereafter as specified in Onshore Oil & Gas Order No. 2.

Casing pressure tests are required before drilling out from under all casing strings set and cemented in place.

No aggressive/fresh hard-banded drill pipe shall be used within casing.

5. All shows of fresh water and minerals will be reported and protected. A sample will be taken of any water flows and a water analysis furnished the BLM, Vernal Field Office.

COAs: Page 4 of 6 Well: Federal 16-17-9-18

All oil and gas shows will be adequately tested for commercial possibilities, reported, and protected.

- 6. No location will be constructed or moved, no well will be plugged, and no drilling or workover equipment will be removed from a well to be placed in a suspended status without prior approval of the BLM, Vernal Field Office. If operations are to be suspended for more than 30 days, prior approval of the BLM, Vernal Field Office must be obtained and notification given before resumption of operations.
- 7. Chronologic drilling progress reports must be filed directly with the BLM, Vernal Field Office on a weekly basis in sundry, letter format or e-mail to the Petroleum Engineers until the well is completed.

Any change in the program must be approved by the BLM, Vernal Field Office. "Sundry Notices and Reports on Wells" (Form BLM 3160-5) must be filed for all changes of plans and other operations in accordance with 43 CFR 3162.3-2.

Emergency approval may be obtained orally, but such approval does not waive the written report requirement. Any additional construction, reconstruction, or alterations of facilities, including roads, gathering lines, batteries, etc., which will result in the disturbance of new ground, will require the filing of a suitable plan pursuant to Onshore Oil & Gas Order No. 1 of 43 CFR 3164.1 and prior approval by the BLM, Vernal Field Office.

In accordance with 43 CFR 3162.4-3, this well must be reported on the "Monthly Report of Operations" (Oil and Gas Operations Report ((OGOR)) starting with the month in which operations commence and continue each month until the well is physically plugged and abandoned. This report shall be filed in duplicate, directly with the Minerals Management Service, P.O. Box 17110, Denver, Colorado 80217-0110, or call 1-800-525-7922 (303) 231-3650 for reporting information.

8. Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (BLM Form 3160-4) will be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3162.4-1. Two copies of all logs run, core descriptions, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, will be filed on BLM Form 3160-4. Submit with the well completion report a geologic report including, at a minimum, formation tops, and a summary and conclusions. Also include deviation surveys, sample descriptions, strip logs, core data, drill stem test data, and results of production tests if performed. Samples (cuttings, fluid, and/or gas) will be submitted only when requested by the BLM, Vernal Field Office.

Please submit an electronic copy of all logs run on this well in LAS format to UT\_VN\_Welllogs@BLM.gov. This submission will supersede the requirement for submittal of paper logs to the BLM. The cement bond log must be submitted in raster format (TIF, PDF other).

COAs: Page 5 of 6 Well: Federal 16-17-9-18

9. All off-lease storage, off-lease measurement, or commingling on-lease or off-lease will have prior written approval from the BLM, Vernal Field Office.

All measurement points shall be identified as point of sales or allocation for royalty determination prior to the installation of facilities.

- 10. Oil and gas meters will be calibrated in place prior to any deliveries. The Field Office Petroleum Engineers will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports will be submitted to the BLM, Vernal Field Office. All measurement facilities will conform to the API standards for liquid hydrocarbons and the AGA standards for natural gas measurement.
- 11. A schematic facilities diagram as required by Onshore Oil & Gas Order No. 3 shall be submitted to the BLM, Vernal Field Office within 30 days of installation or first production, whichever occurs first. All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with Onshore Oil & Gas Order No. 3.
- 12. This APD is approved subject to the requirement that, shall the well be successfully completed for production, the BLM, Vernal Field office must be notified when it is placed in a producing status. Such notification will be by written communication and must be received in this office by not later than the fifth business day following the date on which the well is placed on production. The notification shall provide, as a minimum, the following informational items:
  - a. Operator name, address, and telephone number.
  - b. Well name and number.
  - c. Well location (1/41/4, Sec., Twn, Rng, and P.M.).
  - d. Date well was placed in a producing status (date of first production for which royalty will be paid).
  - e. The nature of the well's production, (i.e., crude oil, or crude oil and casing head gas, or natural gas and entrained liquid hydrocarbons).
  - f. The Federal or Indian lease prefix and number on which the well is located; otherwise the non-Federal or non-Indian land category, i.e., State or private.
  - g. Unit agreement and / or participating area name and number, if applicable.
  - h. Communitization agreement number, if applicable.

COAs: Page 6 of 6 Well: Federal 16-17-9-18

Any venting or flaring of gas will be done in accordance with Notice to Lessees (NTL) 4A and needs prior approval from Field Office Petroleum Engineers.

- 14. All undesirable events (fires, accidents, blowouts, spills, discharges) as specified in NTL 3A will be reported to the BLM, Vernal Field Office. Major events as defined in NTL3A, will be reported verbally within 24 hours, followed by a written report within 15 days. "Other than Major Events" will be reported in writing within 15 days. "Minor Events" will be reported on the Monthly Report of Operations and Production
- 15. Pursuant to Onshore Oil & Gas Order No. 7, this is authorization for pit disposal of water produced from this well for a period of 90 days from the date of initial production. A permanent disposal method must be approved by this office and in operation prior to the end of this 90-day period. In order to meet this deadline, an application for the proposed permanent disposal method shall be submitted along with any necessary water analyses, as soon as possible, but no later than 45 days after the date of first production. Any method of disposal which has not been approved prior to the end of the authorized 90-day period will be considered as an Incident of Noncompliance and will be grounds for issuing a shut-in order until an acceptable manner for disposing of said water is provided and approved by this office.
- 16. Unless the plugging is to take place immediately upon receipt of oral approval, the Field Office Petroleum Engineers must be notified at least 24 hours in advance of the plugging of the well, in order that a representative may witness plugging operations. If a well is suspended or abandoned, all pits must be fenced immediately until they are backfilled. The "Subsequent Report of Abandonment" (Form BLM 3160-5) must be submitted within 30 days after the actual plugging of the well bore, showing location of plugs, amount of cement in each, and amount of casing left in hole, and the current status of the surface restoration.

\*FORM 3160-5 (June 1990)

# UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED

Budget Bureau No. 1004-0135

Expires: March 31, 1993

SUNDRY NOTICES AND  Do not use this form for proposals to drill or to deep  Use "APPLICATION FO	REPORTS ON WELLS OCT 3  ben or reentry a different reservoir.  DR PERMIT -" for such proposition of the prop	GAS 8 6. If Indian, Allottee or Fribe Name  NA
SUBMIT IN	TRIPLICATE	7. If Unit or CA, Agreement Designation SUNDANCE
1. Type of Well  Oil  Well  Gas  Well  Other  2. Name of Operator  NEWFIELD PRODUCTION COMPANY		8. Well Name and No. FEDERAL 16-17-9-18 9. API Well No. 43-047-36035 10. Field and Pool, or Exploratory Area
3. Address and Telephone No.  Rt. 3 Box 3630, Myton Utah, 84052 435-64 4. Location of Well (Footage, Sec., T., R., m., or Survey Description) 660 FSL 660 FEL SE/SE Section	11. County or Parish, State UINTAH COUNTY, UT.	
12. CHECK APPROPRIATE BOX(s) TYPE OF SUBMISSION	TO INDICATE NATURE OF NOTICE, REP	PORT, OR OTHER DATA DE ACTION
X Notice of Intent Subsequent Report Final Abandonment Notice	Abandonment Recompletion Plugging Back Casing Repair Altering Casing X Other Permit Extension	Change of Plans New Construction Non-Routine Fracturing Water Shut-Off Conversion to Injection Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

ally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Newfield Production Company requests to extend the Permit to Drill this well for one year. The original approval date was 11/01/04 (expiration 11/02/06).

This APD is not yet due to expire with the BLM.

Approved by the Utah Division of Oil, Gas and Mining

		$\mathcal{U}$	
14 Plancing centry that it described for the state of the Signed All Manufacture of the Signed A	Tile Regulatory Specialis	4 Date	10 27/2006
CC. ULAH DOGM  (IF) space for Lecars of State efficience)			
Approved	ile	Dia	



# Application for Permit to Drill Request for Permit Extension Validation uld accompany the Sundry Notice requesting nor 7.0

(this form should accompany the Sundry Notice requesting permit extension)

API: 43-047-36035  Well Name: Federal 16-17-9-18  Location: SE/SE Section 17, T9S R18E  Company Permit Issued to: Newfield Production Company  Date Original Permit Issued: 11/1/2004				
The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision.				
Following is a checklist of some items related to the application, which should be verified.				
If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes□No□ ⚠				
Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes ☐ No ☑				
Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes□ No ☑				
Have there been any changes to the access route including ownership, or right-of-way, which could affect the proposed location? Yes□No ☑				
Has the approved source of water for drilling changed? Yes□No☑				
Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes□No☑				
Is bonding still in place, which covers this proposed well? Yes ☑ No ☐				
Mkandi (10/27/2006				
Signature Date				
Title: Regulatory Specialist				
Representing: Newfield Production Company				

FORM 3160-5 (June 1990)

# **UNITED STATES** DEPARTMENT OF THE INTERIOR

**BUREAU OF LAND MANAGEMENT** 

Expires: March 31, 1993 5. Lease Designation and Serial No. SUNDRY NOTICES AND REPORTS ON WELLS UTU-39714 Do not use this form for proposals to drill or to deepen or reentry a different reservoir. 6. If Indian, Allottee or Tribe Name Use "APPLICATION FOR PERMIT -" for such proposals NA 7. If Unit or CA, Agreement Designation SUBMIT IN TRIPLICATE SUNDANCE 1. Type of Well Oil Gas 8. Well Name and No. X Well Well Other FEDERAL 16-17-9-18 JAN - 5 2007 9. API Well No. 43-047-36035 2. Name of Operator **NEWFIELD PRODUCTION COMPANY** 10. Field and Pool, or Exploratory Area 3. Address and Telephone No **EIGHT MILE FLAT NORTI** Rt. 3 Box 3630, Myton Utah, 84052 435-646-3721 11. County or Parish, State 4. Location of Well (Footage, Sec., T., R., m., or Survey Description) 660 FSL 660 FEL SE/SE Section 17, T9S R18E **UINTAH COUNTY, UT.** CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA 12. TYPE OF SUBMISSION TYPE OF ACTION X Notice of Intent Abandonment Change of Plans Recompletion **New Construction** Subsequent Report Plugging Back Non-Routine Fracturing Casing Repair Water Shut-Off Final Abandonment Notice Altering Casing Conversion to Injection **Permit Extension** Other Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Newfield Production Company requests to extend the Permit to Drill this well for one year. The original approval date was 1/05/06 (expiration 1/05/07).

> RECEIVED MAD OF .

4	MAK U 5 2007		
14. I hereby certify that the foregoing is true and correct  Signed  Mandie Crozier  Title	DIV. OF OIL, GAS & MINING Regulatory Specialist	Date	1/5/2007
CC: UTAH DOGM			
(This space for Federal or State office use)  Approved by  Title	Petroleum Engineer	_Date	FEB 6 28117
Conditions of approval of any:			
CC: Utah DOGM			
	<del></del>		



FORM APPROVED

Budget Bureau No. 1004-0135

# **CONDITIONS OF APPROVAL**

# **Newfield Production Company**

# Notice of Intent APD Extension

Lease:

UTU-39714

Well:

Federal 16-17-9-18

Location:

SESE Sec 17-T9S-R18E

An extension for the referenced APD is granted with the following conditions:

1. The extension and APD shall expire on  $\frac{2}{6}$ /08.

2. No other extension shall be granted.

If you have any other questions concerning this matter, please contact Matt Baker of this office at (435) 781-4490

RECEIVED MAR 0 5 2007

DIV. OF OIL, GAS & MINING

ORM 3160-5 (June 1990)

# UNITED STATES DEPARTMENT OF THE INTERIOR BURGALLOG LAND MANAGEMENT

**SUNDRY NOTICES AND REPORTS ON WELLS** 

FORM APPROVED

Budget Bureau No. 1004-0135

Expires: March 31, 1993

DUKEAU OF	LAND MANAGEMENT	

 Lease Designation and Serial No. UTU-39714

Do not use this form for proposals to	drill or to	deepen or	reentry a	different res	servoir.
Lica "ADDI	ICATION		DMIT :	for such in	ronoco

6. If Indian, Allottee or Tribe Name

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

Use "APPLICATION FO	NA	
SUBMIT IN  1. Type of Well	7. If Unit or CA, Agreement Designation SUNDANCE	
X Oil Gas Well Other	8. Well Name and No. FEDERAL 16-17-9-18	
2. Name of Operator  NEWFIELD PRODUCTION COMPANY	P10-2	9. API Well No. 43-047-36035  10. Field and Pool, or Exploratory Area
Address and Telephone No.  Rt. 3 Box 3630, Myton Utah, 84052 435-646-3721  Location of Well (Footage, Sec., T., R., m., or Survey Description)  EIGHT MILE FI		
660 FSL 660 FEL SE/SE Section	UINTAH COUNTY, UT.	
	TO INDICATE NATURE OF NOTICE, REPO	
TYPE OF SUBMISSION	TYPE OF	ACTION
Notice of Intent	Abandonment Recompletion	Change of Plans New Construction
Subsequent Report  Final Abandonment Notice	Plugging Back Casing Repair	Non-Routine Fracturing Water Shut-Off
rinal Abandonment Notice	X Other Permit Extension	Conversion to Injection Dispose Water

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Newfield Production Company requests to extend the Permit to Drill this well for one year. The original approval date was 11/01/04 (expiration 11/01/07).

This APD is not yet due to expire with the BLM.

Approved by the Utah Division of Oil, Gas and Mining



Date: 10-31-01

By: Franchill

RECEIVED OCT 3 1 2007

DIV. OF OIL, GAS & MINING

14. I hereby certify Signed	that the foregoing is true and correct	Title	Regulatory Specialist	Date	10/30/2007
CC: UTAH	Mandie Crozier // DOGM				
(This space f	or Federal or State office use)				
Approved b	у	Title		Date	
Conditions o	f approval, if any:				
CC: Utah D	OGM				

# Application for Permit to Drill Request for Permit Extension Validation

(this form should accompany the Sundry Notice requesting permit extension)


API: 43-047-36035  Well Name: Federal 16-17-9-18  Location: SE/SE Section 17,T9S R18E  Company Permit Issued to: Newfield Production Compate Original Permit Issued: 11/1/2004	apany			
The undersigned as owner with legal rights to drill or above, hereby verifies that the information as submi- approved application to drill, remains valid and does	tted in the previously			
Following is a checklist of some items related to the verified.	application, which should be			
If located on private land, has the ownership change agreement been updated? Yes ☑ No □	d, if so, has the surface			
Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes□No ☑				
Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes□ No ☑				
Have there been any changes to the access route including ownership, or right-of-way, which could affect the proposed location? Yes ☐ No ☑				
Has the approved source of water for drilling changed? Yes□No☑				
Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes□No☑				
Is bonding still in place, which covers this proposed	well? Yes ☑ No □			
M fardiliones	10/30/2007			
Signaturė <i>O</i>	Date			
Title: Regulatory Specialist				
Representing: Newfield Production Company				



# United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Vernal Field Office 170 South 500 East Vernal, UT 84078





IN REPLY REFER TO: 3160 UT08300

May 14, 2008

43.047.36035

Mandie Crozier Newfield Production Company Route 3, Box 3630 Myton, UT 84052

Re:

Notice of Expiration

Well No. Federal 16-17-9-18 SESE, Sec. 17, T9S, R18E Uintah County, Utah Lease No. UTU-39714 Sundance (GR) Unit

Dear Ms. Crozier:

The Application for Permit to Drill (APD) the above-referenced well was approved on January 5, 2006. A one (1) year extension of the original APD was requested. The request was reviewed and the extension approved until January 5, 2008. According to our records, no known activity has transpired at the approved location. In view of the foregoing, this office is notifying you that the approval of the referenced application has expired. If you intend to drill at this location in the future, a new Application for Permit to Drill must be submitted.

This office requires a letter confirming that no surface disturbance has been made for this drill site. Any surface disturbance associated with the approved location of this well is to be rehabilitated. A schedule for this rehabilitation must be submitted to this office. Your cooperation in this matter is appreciated.

If you have any questions regarding this matter, please contact me at (435) 781-4455.

Sincerely,


Cindy Severson

Cindy Severson Land Law Examiner

CC:

**UDOGM** 

RECEIVED MAY 1 9 2008





MICHAEL R. STYLER Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA
Division Director

October 28, 2008

Mandie Crozier Newfield Production Co Route 3 Box 3630 Myton, UT 84052 43 047 36035 Federal 16-17-9-18 95 18E 17

Re: APDs Rescinded at the request of Newfield Production Company

Dear Ms. Crozier:

Enclosed find the list of APDs that you requested to be rescinded to Newfield Production Company. No drilling activity at these locations has been reported to the division. Therefore, approval to drill these wells is hereby rescinded, effective October 27, 2008.

A new APD must be filed with this office for approval <u>prior</u> to the commencement of any future work on the subject locations.

If any previously unreported operations have been performed on this well location, it is imperative that you notify the Division immediately.

Sincerely,

Diana Mason

**Environmental Scientist** 

and Dusm

cc:

Well File

Bureau of Land Management, Vernal



Federal 1-17-9-18	43-047-36027
Federal 2-17-9-18	43-047-36028
Federal 4-17-9-18	43-047-36029
Federal 6-17-9-18	43-047-36030
Federal 8-17-9-18	43-047-36031
Federal 10-17-9-18	43-047-36032
Federal 12-17-9-18	43-047-36033
Federal 14-17-9-18	43-047-36034
Federal 16-17-9-18	43-047-36035